

# Vehicle exterior

2-1 External projections

2-2 Dimensions



## Vehicle exterior

## 2-1 External projections

### Summary of legislation

#### Applicable legislation

- Land Transport Rule: External Projections 2001

#### Compliance with approved standards

- A vehicle of class MA, MB, MC, MD1 or NA manufactured on or after 1 March 1998 must comply with one or more of the approved external projection standards in **Table 2-1-1**.

#### Condition, performance and modification

- External projections must comply with the requirements relating to condition, performance and modification set out in the *VIRM: In-service certification*, section 2-1.

### Reasons for rejection

#### Compliance with approved standards

- A vehicle of class MA, MB, MC, MD1 or NA manufactured on or after 1 March 1998 did not comply, or cannot be demonstrated to have complied, with all the standard(s) listed in at least one of the four columns in **Table 2-1-1** at the time the vehicle was manufactured.

#### Condition, performance and modification

- An external projection does not comply with a requirement relating to condition, performance or modification set out in the *VIRM: In-service certification*, section 2-1.

**Note 1** If a vehicle is fitted with an auxiliary bar (eg a bullbar), refer to Technical bulletin 6 – Auxiliary bars.

**Table 2-1-1. List of approved external projection standards\***

UN-ECE Regulation no.	EEC/EC Directive	ADR	Japan
26 or 61 for commercial vehicles	74/483 79/488 87/354 or 2007/15	42, General Safety Requirements (section on external and internal protrusions)	Article 18 Technical Standard (TS) for impact reduction of outside rearview mirrors, and if fitted with an air spoiler, structural standard for air spoilers

\* A vehicle of class MA, MB, MC, MD1 or NA manufactured on or after 1 March 1998 must comply with the standard(s) listed in at least one of the four columns.



Vehicles must comply with the requirements relating to mandatory equipment set out in the *VIRM: In-service certification*, section 2-2.

There are no additional requirements in respect of dimensions for the inspection and certification of vehicles for entry into service.

