

**BOARD OF INQUIRY
WATERVIEW CONNECTION PROPOSAL**

IN THE MATTER of the Resource Management Act 1991

AND

IN THE MATTER of a Board of Inquiry appointed under s149J of the Resource Management Act 1991 to consider applications by New Zealand Transport Authority for resource consents and notices of requirement for the Waterview Connection Proposal.

MINUTE AND DIRECTIONS OF THE BOARD

EVIDENCE EXCHANGE

1. Further to the Hearing Procedures dated 19 November 2010, this Direction advises of an amendment to the requirements for exchange of evidence by submitters.
2. The Board has directed the EPA to take responsibility for the distribution of all submitter's evidence. As such, submitters no longer have to serve a copy of their evidence on other submitters; however you are still required to serve your evidence on the applicant (details in paragraph 4 below). This means:
 1. For comprehensive and detailed evidence please provide two hard copies and one electronic copy (email or CD) of your evidence to the EPA's Auckland office (details below), by **5pm 17 December 2010**.
 2. If your evidence is less than 10MB in its entirety, the EPA will accept it in an electronic form only and does not require a paper copy. Please email such evidence to: waterview@epa.govt.nz. [Please note if close to the maximum size of 10MB please send a separate email with no attachments to advise that the evidence has been sent by email only.]
3. Your evidence must be **received by the EPA's Auckland office** no later than 5pm Friday 17 December 2010 (please do not post to the Wellington office). Please hand deliver, post or courier in time to reach the Auckland office by the deadline.

4. Addresses for delivery to the EPA -

Hand Delivery

- Auckland Policy Office
Level 6, Tower Centre
45 Queen Street
Auckland

Postage

- Auckland Policy Office
c/- Todd Webb EPA
PO Box 106483
Auckland

5. Please also ensure you provide a copy of your evidence to the applicant, **no later than 5pm Friday 17 December 2010 at:**

NZ Transport Agency (Attn: Deepak Rama)
Waterview Connection project
Level 13, Qantas House
191 Queen Street
Auckland 1143

Or

email: waterview.connection@nzta.govt.nz

If you have any questions arising from this Board Direction please do not hesitate to contact the EPA on 0800 H2OVIEW (0800 4268439) or waterview@epa.govt.nz.

For the Board:



**Judge L Newhook
Chairman - Waterview Connection Proposal Board of Inquiry
10 December 2010**