



**WELLINGTON, NEW ZEALAND**

**PURSUANT** to *sections 152 and 157* of the Land Transport Act 1998, and after having had regard to the criteria specified in *section 164(2)* of that Act

I, *Michael Wood*, Minister of Transport,

make the following ordinary Rule:

Land Transport Rule: Traffic Control Devices Amendment 2021

**SIGNED** AT Wellington

This 15<sup>th</sup> day of March 2021

Hon Michael Wood

Minister of Transport

**Land Transport Rule**  
**Traffic Control Devices Amendment 2021**



**Land Transport Rule**  
**Traffic Control Devices Amendment 2021**  
**Contents**

<b>Objective of the Rule</b>	<b>i</b>
<b>Extent of consultation</b>	<b>i</b>
<b>Section 1 Preliminary provisions</b>	<b>1</b>
1.1 Title	1
1.2 Commencement	1
1.3 Principal Rule amended	1
<b>Section 2 Amendments to principal Rule</b>	<b>1</b>
2.1 Clause 3.3 amended (Matters to be taken into account when providing, modifying and removing traffic control devices)	1
2.2 Clause 10.6 amended ('Keep Clear' zone at intersections)	1
2.3 Part 2 (Definitions) amended	1
2.4 Schedule 1 amended (Signs)	2
2.5 Schedule 2 amended (Markings)	4
<b>Schedule</b>	<b>5</b>
Part 1 Items replaced in Schedule 1 of Principal Rule	5
Part 2 New items inserted in Schedule 1 of Principal Rule	6



## Objective of the Rule

The objective of *Land Transport Rule: Traffic Control Devices Amendment 2021* (this Rule) is to make amendments to *Land Transport Rule: Traffic Control Devices 2004*, including:

- amending the definition of public holiday to:
  - be consistent with the definition in *Land Transport (Road User) Rule 2004*; and
  - include in the definition ‘Monday-ised’ and ‘Tuesday-ised’ public holidays, and Easter Sunday; and
- making amendments to items and inserting new items into Schedule 1 (signs), for example:
  - enabling emergency services personnel to use crash, road closed or emergency signs when dealing with a relevant incident; and
  - creating new signs for use by Police; and
  - creating new signs regarding cyclists, and heavy vehicles using bridges.

## Extent of consultation

For the purposes of consultation, amendments proposed to *Land Transport Rule: Traffic Control Devices 2004* and other land transport rules were combined into a single draft rule, the *Land Transport Rule: Regulatory Stewardship (Omnibus) Amendment 2020* (the Omnibus Amendment Rule). Following consultation, the provisions in the Omnibus Amendment Rule were split into separate amendment rules. Amendments to *Land Transport Rule: Traffic Control Devices 2004* were put into this Rule.

The NZ Transport Agency sent out notifications of the amendment proposals by email to approximately 1861 groups and individuals who had registered an interest in the rules to be amended. The Omnibus Amendment Rule was made available, together with an overview document, on the NZ Transport Agency’s website. Public consultation was carried out from 25 August 2020 to 16 October 2020. The availability of the amendment proposals for comment was publicised in the *Gazette* on 26 August 2020.

The NZ Transport Agency received 23 submissions on the Omnibus Amendment Rule, none of which were regarding the proposed amendments to *Land Transport Rule: Traffic Control Devices 2004*. The submissions received were taken into account in finalising the separate amendment Rules, following which they were submitted to the Minister of Transport for signing.



## **Section 1 Preliminary provisions**

### **1.1 Title**

This Rule is *Land Transport Rule: Traffic Control Devices Amendment 2021*.

### **1.2 Commencement**

This Rule comes into force on 1 May 2021.

### **1.3 Principal Rule amended**

This Rule amends *Land Transport Rule: Traffic Control Devices 2004*.

## **Section 2 Amendments to principal Rule**

### **2.1 Clause 3.3 amended (Matters to be taken into account when providing, modifying and removing traffic control devices)**

In clause 3.3(b), replace “regional land transport strategy” with “regional land transport plan”.

### **2.2 Clause 10.6 amended (‘Keep Clear’ zone at intersections)**

In clause 10.6(2)(b), after “the words ‘keep clear’ marked”, insert “in yellow”.

### **2.3 Part 2 (Definitions) amended**

2.3(1) In Part 2, in the definition of **Emergency services personnel**, replace “New Zealand Fire Service” with “a fire service”.

2.3(2) In Part 2, replace the definition of **Public holiday** with:

**Public holiday** means the following days:

- (a) Christmas Day:
- (b) Boxing Day:
- (c) if Christmas Day falls on a Friday, the following Monday:
- (d) if Christmas Day falls on a Saturday or a Sunday, the following Monday and Tuesday:
- (e) New Year’s Day:
- (f) 2 January:
- (g) if New Year’s Day falls on a Friday, the following Monday:

- (h) if New Year's Day falls on a Saturday or a Sunday, the following Monday and Tuesday:
- (i) Waitangi Day:
- (j) if Waitangi Day falls on a Saturday or a Sunday, the following Monday:
- (k) Good Friday:
- (l) Easter Sunday:
- (m) Easter Monday:
- (n) Anzac Day:
- (o) if Anzac Day falls on a Saturday or a Sunday, the following Monday:
- (p) the birthday of the reigning Sovereign (observed on the first Monday in June):
- (q) Labour Day (being the fourth Monday in October):
- (r) the day of the anniversary of a province or the day locally observed as that day

## 2.4 Schedule 1 amended (Signs)

2.4(1) In Schedule 1, after the fourth bullet point (relating to the letter 'f'), insert:

- When, after a colour, the letters 'R', 'F' or 'f' are combined (for example, 'RF' or 'Rf') each individual letter retains its individual meaning as provided above.

2.4(2) In Schedule 1, in the fifteenth bullet point (relating to conforming substantially with the form prescribed), replace "traffic sign" with "traffic control device" in each place.

2.4(3) In Schedule 1, item relating to **R1-5.4 (Motorway begins threshold)**:

- (a) replace "rectangle 1200 x 1200 mm" with "rectangle 1200 x 1600 mm"; and
- (b) in the row relating to "with border", replace "20 mm" with "30 mm".

2.4(4) In Schedule 1, item relating to **R2-2.2 (Give way – supplementary – straight-ahead traffic)**, replace "rectangle 900 x 600 mm" with "rectangle 900 x 800 mm".



- 2.4(5) In Schedule 1, item relating to **R2-2.3 (Give way – supplementary – right-turning traffic)**, replace “rectangle 900 x 600 mm” with “rectangle 900 x 800 mm”.
- 2.4(6) In Schedule 1, item relating to **R2-2.4 (Give way – supplementary – left-turning traffic)**, replace “rectangle 900 x 600 mm” with “rectangle 900 x 800 mm”.
- 2.4(7) In Schedule 1, item relating to **R5-9 (Heavy vehicle – bridge limits)**, in the row relating to “Panel 3”, replace “ ‘kg’ ” with “ ‘km/h’ ”.
- 2.4(8) In Schedule 1, replace the item **W2-1.3 (Hazard warning supplementary – linemen)** with the item set out in Part 1 of the Schedule of this Rule.
- 2.4(9) In Schedule 1, item relating to **W6-5 (Crash)**, replace “*(For use by the Police only)*” with “*(For use by emergency services personnel involved in dealing with the crash only)*”.
- 2.4(10) In Schedule 1, item relating to **W7-1 (Vehicle mounted sign – pilot car follow me)**, replace “rectangle 900 x 400 mm” with “rectangle 900 x 450 mm”.
- 2.4(11) In Schedule 1, item relating to **W7-2 (Vehicle mounted sign – road work)**, replace “rectangle 900 x 400 mm” with “rectangle 900 x 450 mm”.
- 2.4(12) In Schedule 1, item relating to **W7-3 (Vehicle mounted sign – road inspection)**, replace “rectangle 900 x 400 mm” with “rectangle 900 x 450 mm”.
- 2.4(13) In Schedule 1, item relating to **W7-4 (Vehicle mounted sign – pass with care)**, replace “rectangle 900 x 400 mm” with “rectangle 900 x 450 mm”.
- 2.4(14) In Schedule 1, item relating to **W7-6 (Dry your brakes)**, replace “rectangle 900 x 400 mm” with “rectangle 900 x 450 mm”.
- 2.4(15) In Schedule 1, item relating to **W7-7.1 (Works end thank you)**:
- (a) replace “rectangle 900 x 500 mm” with “rectangle 900 x 450 mm”; and
  - (b) replace “black 15 mm” with “black 25 mm”.
- 2.4(16) In Schedule 1, insert the items set out in Part 2 of the Schedule of this Rule in their appropriate alphanumerical order.

**2.5 Schedule 2 amended (Markings)**

2.5(1) In Schedule 2, item **M1-4 (Placement of warning lights – not to scale)**, below “Divided roadway” insert:

Note: the warning lights installed parallel to the marked pedestrian crossing are located on, or in advance of and immediately adjacent to, the pedestrian crossing limit line.

## Schedule

### Part 1

#### Items replaced in Schedule 1 of Principal Rule

Ref: clause 2.4(8)

---

<b>W2-1.3</b>	<b>Hazard warning supplementary – linecrew</b>		
	<i>Linecrew are working ahead. Two options.</i>		
	<b>Option A</b>		
<b>Shape and size</b>	rectangle 900 x 300 mm [supplements W2-1]		
<b>Background</b>	orange (RF)		
<b>Border</b>	black 25 mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘LINECREW’	black	120/19.2
	<b>Option B</b>		
<b>Shape and size</b>	rectangle 1200 x 450 mm [supplements W2-1B]		
<b>Background</b>	orange (RF)		
<b>Border</b>	black 30 mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘LINECREW’	black	160/25.6

---

## Part 2

### New items inserted in Schedule 1 of Principal Rule

Ref: clause 2.4(16)

---

<b>R1-8.2</b>	<b>Temporary speed limit for slippery surface</b>		
	<i>Combination R1-1 speed limit sign above a W3-2 slippery surface, temporary warning sign to advise drivers that the speed limit displayed is a temporary speed limit due to an unsafe, slippery road surface. Two options.</i>		
	<b>Option A</b>		
<b>Shape and size</b>	R1-1 speed limit sign: circle 750mm diameter above W3-2 temporary warning sign: diamond 750mm square		
<b>Background</b>	R1-1 speed limit sign: White (R) W3-2 temporary warning sign: Orange (RF)		
<b>Border</b>	R1-1 speed limit sign: Red (R) 95mm W3-2 temporary warning sign: Black 25mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	R1-1 ‘[speed limit in km/h]’ above	black	250/40
	W3-2 ‘[symbol of a car skidding]’	black	600mm x 550mm
	<b>Option B</b>		
<b>Shape and size</b>	R1-1 speed limit sign on rectangle backing board 1200mm x 1200mm above W3-2 temporary warning sign on rectangle backing board 1200mm x 1200mm		
<b>Background</b>	Backing boards: White (R)		
<b>Border</b>	Black 30mm or may have no border		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	R1-1 speed limit sign above	White (R), red (R) R1-1 speed limit sign above	900mm or 1200mm diameter
	W3-2 slippery surface temporary warning	Orange (RF) and black, as for W3-2	Diamond 850mm square

---

<b>R1-8.3</b>	<b>Temporary speed limit for Unsafe Structure</b>		
	<i>Combination R1-1 speed limit sign above a W1-1.13 bridge repairs, road works supplementary – bridge repairs sign to advise that the speed limit displayed is a temporary speed limit due to an unsafe structure. Two options.</i>		

---

**Option A**

<b>Shape and size</b>	R1-1 speed limit sign: circle 750 mm diameter above W1-1.13 road works supplementary: rectangle 900 x 450 mm
<b>Background</b>	R1-1 speed limit sign: White (R) W1-1.13 road works supplementary – bridge repairs sign: Orange (RF)
<b>Border</b>	R1-1 speed limit sign: Red (R) 95mm W1-1.13 road works supplementary sign: Black 25mm

<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
R1-1	‘[speed limit in km/h]’ above	black	250/40
W1-1.13	‘BRIDGE’	black	120/19.2
	‘REPAIRS’	black	120/19.2

**Option B**

<b>Shape and size</b>	R1-1 speed limit sign on rectangle backing board 1200 x 1200 mm above W1-1.13 road works supplementary – bridge repairs sign: rectangle 1200 x 600 mm		
<b>Background</b>	Backing boards: White (R)		
<b>Border</b>	Black 30mm or may have no border		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	R1-1 speed limit sign on rectangle backing board 1200mm x 1200mm above	White (R), red (R) R1-1 speed limit sign above	900mm or 1200mm diameter
	W1-1.13 road works supplementary – bridge repairs sign	Orange (RF) and black, as for W1- 1.13	Rectangle 1200 x 600 mm

**R2-2.5 Give way – supplementary – to cyclists**

*Supplementary sign for R2-2. Reinforces requirement for drivers to give way to cyclists crossing the road on a priority controlled cycle path, in accordance with clause 4.1 of the Land Transport (Road User) Rule 2004 and subclause 11.4(5) of the Land Transport Rule: Traffic Control Devices 2004.*

<b>Shape and size</b>	Rectangle 900 × 300mm		
<b>Background</b>	White (R)		
<b>Border</b>	Red (R) 20mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>

“TO CYCLISTS” red (R) 120/16.8

**R2-2.6 Give way – supplementary – to cyclists and pedestrians**

*Supplementary sign for R2-2. Reinforces requirement for drivers to give way to cyclists and pedestrians crossing the road on a priority controlled shared path, in accordance with clause 4.1 of the Land Transport (Road User) Rule 2004 and subclause 11.4(5) of the Land Transport Rule: Traffic Control Devices 2004.*

**Shape and size** Rectangle 900 × 450mm

**Background** White (R)

**Border** Red (R) 20mm

Legend	Description	Colour	Size
	‘TO CYCLISTS &’	red (R)	120/15.6
	‘PEDESTRIANS’	red (R)	120/15.6

**R2-9.1 Turning traffic give way to cyclists**

*Reinforces requirement to give way to cyclists on a cycle path when turning at a give way sign, stop sign or traffic signals, in accordance with clause 3.2 or 4.1 of the Land Transport (Road User) Rule 2004. May supplement R2-1 or R2-2 signs or be installed on a pole supporting a traffic signal.*

**Shape and size** Rectangle 400 × 500mm

**Background** White (R)

**Border** Red (R) 15mm

Legend	Description	Colour	Size
	‘TURNING’	black	50/7
	‘TRAFFIC’	black	50/7
	‘GIVE WAY’	black	50/7
	‘TO’	black	50/7
	‘CYCLISTS’	black	50/7

**R2-9.2 Straight ahead traffic give way to cyclists**

*Reinforces requirement to give way to cyclists on a cycle path when proceeding straight ahead from a give way or stop sign, in accordance with clause 4.1 of the Land Transport (Road User) Rule 2004. May supplement R2-1 or R2-2 signs.*

**Shape and size** Rectangle 400 × 600mm

**Background** White (R)

**Border** Red (R) 15mm

Legend	Description	Colour	Size
	‘STRAIGHT’	black	50/7

‘AHEAD’	black	50/7
‘TRAFFIC’	black	50/7
‘GIVE WAY’	black	50/7
‘TO’	black	50/7
‘CYCLISTS’	black	50/7

---

### **R3-5.2 Supplementary – except cycles**

*Supplementary sign for R3-1, R3-2, R3-3 or R3-4 signs excepting cycles from a ban on the relevant movement and for R3-8, R3-9, R3-10, R3-11 or R3-12 signs excepting cycles from the requirement to make the relevant movement.*

**Shape and size** Rectangle 400 × 250mm

**Background** White (R)

**Border** Red(R) 15mm

<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘EXCEPT’	black	65/10.4
	‘CYCLES’	black	65/10.4

---

### **R5-9.1 Heavy vehicle bridge limit, axle sets**

*Restrictions for heavy vehicles on a bridge – axle sets.*

**Shape and size** Rectangle 1200 x height to fit text

**Background** White (R)

**Border** Red (R) 25mm

<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘HEAVY VEHICLE’ above	black	Text 100/13
	‘BRIDGE AXLE SET LIMITS’ above	black	Text 100/13
	‘[axle set combination] [total weight allowed on the entire axle set] T’	black	Text 75/12 ‘T’ Tpt Med ‘x’ height 50 mm

---

### **R5-9.2 Heavy vehicle bridge limit, number of axles and gross weight**

*Restrictions for heavy vehicles on a bridge – number of axles and gross weight.*

**Shape and size** Rectangle 1200 × height to fit text

**Background** White (R)

**Border** Red (R) 30mm

<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
---------------	--------------------	---------------	-------------

‘HEAVY VEHICLE’ above	black	Text 100/13
‘BRIDGE GROSS LIMITS’ above	black	Text 100/13
‘NO. OF AXLES – GROSS WEIGHT’ above two columns	black	Text 75/12
‘[number of axles] – [gross weight in tonnes] T’	black	Text 75/12 ‘T’ Tpt Med ‘x’ height 50 mm

### **R5-9.3 Heavy vehicle bridge limit, axle sets, number of axles and gross weight and speed**

*Restrictions for heavy vehicles on a bridge – axle sets or number of axles and gross weight or speed. One “panel” used for each limit type and a sign may be comprised of a selection of appropriate panels.*

Option A (vertical format)

**Shape and size** Rectangle 1200 × height to fit text

**Background** White (R)

**Border** Red (R) 25mm

<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘HEAVY VEHICLE’ above	black	Text 100/13
	‘BRIDGE LIMITS’ above	black	Text 100/13
	Panel 1:		
	‘AXLE SETS’ above	black	Text 75/12
	‘[axle set combination] [total weight allowed on the entire axle set] T’	black	Text 75/12 ‘T’ Tpt Med ‘x’ height 50 mm
	Panel 2:		
	‘GROSS’ above	Black	Text 75/12
	‘NO. OF AXLES – GROSS WEIGHT’ above two columns	Black	Text 75/12
	‘[number of axles] – [gross weight in tonnes] T’	Black	Text 75/12 ‘T’ Tpt Med ‘x’ height 50 mm
	Panel 3:		
	‘SPEED LIMIT 30 km/h	Black	Text 75/12 ‘km/h’ Tpt Med ‘x’ height 50 mm

Option B (horizontal format)

**Shape and size** Rectangle 2100 × height to fit text

**Background** White (R)



<b>Border</b>	Red (R) 25mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘HEAVY VEHICLE’ above	black	Text 100/13
	‘BRIDGE LIMITS’ above	black	Text 100/13
	Panel 1:		
	‘AXLE SETS’ above	black	Text 75/12
	‘[axle set combination] [gross weight in tonnes] T’	black	Text 75/12 ‘T’ Tpt Med ‘x’ height 50 mm
	Next to Panel 2:		
	‘GROSS’ above	Black	Text 75/12
	‘NO. OF AXLES – GROSS WEIGHT’ above two columns	Black	Text 75/12
	‘[number of axles] – [gross weight in tonnes] T’	Black	Text 75/12 ‘T’ Tpt Med ‘x’ height 50 mm
	Panel 3:		Text 75/12 ‘T’
	‘SPEED LIMIT 30 km/h	Black	Text 75/12 ‘km/h’ Tpt Med ‘x’ height 50 mm

---

**R5-9.4 Heavy vehicle bridge speed limit restriction**

*Advises drivers of heavy vehicles of a bridge speed limit restriction at the specified speed limit.*

<b>Shape and size</b>	Rectangle 900 × 750mm		
<b>Background</b>	White (R)		
<b>Border</b>	Red (R) 25mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘HEAVY VEHICLE’ above	black	100/13
	‘BRIDGE’ above	black	100/13
	‘SPEED LIMIT’ above	black	100/13
	‘SPEED [speed] km/h’	black	Text 75/12 ‘km/h’ Tpt Med ‘x’ height 50 mm

---



---

**W2-1.25 Hazard warning supplementary – pedestrians**

*There are likely to be pedestrians on the road ahead. Two options.*

**Option A**

<b>Shape and size</b>	Rectangle 900 × 300mm, supplements W2-1
-----------------------	---

---

---

<b>Background</b>	orange (RF)		
<b>Border</b>	black 25 mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘PEDESTRIANS’	black	100/14
<b>Option B</b>			
<b>Shape and size</b>	Rectangle 1200 × 450mm, supplements W2-1B		
<b>Background</b>	orange (RF)		
<b>Border</b>	black 30 mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘PEDESTRIANS’	black	150/21

---



---

<b>W2-1.26</b>	<b>Hazard warning supplementary – cyclists merging</b>		
	<i>There are likely to be cyclists merging with other traffic on the road ahead. Two options.</i>		
<b>Option A</b>			
<b>Shape and size</b>	Rectangle 900 × 450mm, supplements W2-1		
<b>Background</b>	orange (RF)		
<b>Border</b>	black 25 mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘CYCLISTS’	black	120/15.6
	‘MERGING’	black	120/15.6
<b>Option B</b>			
<b>Shape and size</b>	Rectangle 1200 × 600mm, supplements W2-1B		
<b>Background</b>	orange (RF)		
<b>Border</b>	black 30 mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘CYCLISTS’	black	160/20
	‘MERGING’	black	160/20

---



---

<b>W6-7</b>	<b>Emergency</b>		
	<i>There has been an incident ahead creating an emergency (for use by emergency services personnel involved in dealing with the emergency only; Police patrol car sign pack sign option).</i>		
<b>Shape and size</b>	Rectangle 850 × 230mm		
<b>Background</b>	Orange (Rf)		
<b>Border</b>	Black 20mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>

---

	‘EMERGENCY’	black	100/17
--	-------------	-------	--------

---

**W6-8 Checkpoint**  
*Police checkpoint ahead (for use by the Police only; Police patrol car sign pack sign option).*

<b>Shape and size</b>	Rectangle 850 × 230mm		
<b>Background</b>	Orange (Rf)		
<b>Border</b>	Black 20mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘CHECKPOINT’	black	100/17

---

**W6-9 Police operation**  
*Police operation taking place ahead (for use by the Police only; Police patrol car sign pack sign option).*

<b>Shape and size</b>	Rectangle 850 × 230mm		
<b>Background</b>	Orange (Rf)		
<b>Border</b>	Black 20mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘POLICE OPERATION’	black	100/15.5

---

**W6-10 All HMV stop**  
*All Heavy Motor Vehicles (HMV) are required to stop (For use by the Police only. Heavy motor vehicle means a motor vehicle that has a gross vehicle mass exceeding 3500kg. Police patrol car sign pack sign option).*

<b>Shape and size</b>	Rectangle 850 × 230mm		
<b>Background</b>	White (R)		
<b>Border</b>	Red (R) 20mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	“ALL HMV STOP”	black	100/15.5

---

**W6-11 Road closed**  
*Road Closed ahead (For use by emergency services personnel dealing with the relevant incident only; Police patrol car sign pack sign option).*

<b>Shape and size</b>	Rectangle 850 × 230mm		
<b>Background</b>	White (R)		
<b>Border</b>	Red (R) 20mm		

Legend	Description	Colour	Size
	“ROAD CLOSED”	black	100/15.5

---

**W16-10 40km/h advisory – cyclists on narrow bridge**

*Advises drivers to slow to 40km/h when cyclists are on the narrow bridge*

**Option A (speed limit < 80km/h)**

**Shape and size** Rectangle 900 × 1500mm

**Background** Yellow-green (RF)

**Border** black 20 mm

Legend	Description	Colour	Size
	‘NARROW’	black	120/21.6
	‘BRIDGE’ above	black	120/21.6
	A horizontal black line above	black	20mm
	‘40’	black	225/40.5
	‘WHEN’	black	120/19.2
	‘CYCLISTS’	black	120/19.2
	‘PRESENT’	black	120/19.2

**Option B (speed limit ≥ 80km/h)**

**Shape and size** Rectangle 1200 × 2000mm

**Background** Yellow-green (RF)

**Border** black 30 mm

Legend	Description	Colour	Size
	‘NARROW’	black	160/28.8
	‘BRIDGE’ above	black	160/28.8
	A horizontal black line above	black	30mm
	‘40’	black	300/54
	‘WHEN’	black	160/25.6
	‘CYCLISTS’	black	160/25.6
	‘PRESENT’	black	160/25.6

---

**W18-3.12 Wild animals - bittern**

*Combination diamond-shaped warning sign above a supplementary message sign to warn drivers there is likely to be low flying bittern ahead.*

**Warning sign**

**Shape and size** Diamond 600mm square

**Background** Yellow (R)

---

<b>Border</b>	Black 15mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘Symbol depicting a bittern in low horizontal flight in front of a car’	black	480 × 460mm
<b>Supplementary sign</b>			
<b>Shape and size</b>	Rectangle 600 × 400mm		
<b>Background</b>	Yellow (R)		
<b>Border</b>	Black 15mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘SLOW FOR’	black	80/11.2
	‘BITTERN’	black	100/16

<b>A43-7</b>	<b>Cyclists watch for traffic</b>		
	<i>Advises cyclists to watch for traffic (typically where a cycle path or shared path crosses a road).</i>		
<b>Shape and size</b>	Rectangle 400 × 600mm		
<b>Background</b>	White (R)		
<b>Border</b>	Black 15mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘[symbol of cycle]’ above	black	270 × 175mm
	‘WATCH’	black	60/9.6
	‘FOR’	black	60/9.6
	‘TRAFFIC’	black	60/9.6

<b>A43-8</b>	<b>Contra-flow cycle lane</b>		
	<i>Advises road users that cyclists are permitted to travel in either direction in the adjacent cycle lane.</i>		
<b>Shape and size</b>	Rectangle 400 × 600mm		
<b>Background</b>	White (R)		
<b>Border</b>	Black 15mm		
<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	‘[symbol of cycle]’ above	black	300 × 195mm
	‘[Two arrows (type A) side by side, left arrow pointing up and right arrow pointing down]’	black	Shaft 35mm

---

**A45-6 Heavy vehicle bridge restriction ahead '[distance]' km**

*Advises drivers of heavy vehicles of a bridge restriction ahead at a specified distance beyond the sign.*

**Shape and size** Rectangle 900 × 750mm

**Background** White (R)

**Border** Black 25mm

<b>Legend</b>	<b>Description</b>	<b>Colour</b>	<b>Size</b>
	'HEAVY VEHICLE' above	black	100/13
	'BRIDGE' above	black	100/13
	'RESTRICTION' above	black	100/13
	'[distance] km'	black	Text 75/12 'km' Tpt Med 'x' height 50 mm

---